



# NexusBioAg Foliar Products Mixing Order Guide

The general rule of thumb for tank mixing numerous products together is:

1. Dry flowable or water-soluble granule/powder
2. Flowables
3. Emulsifiable concentrates
4. Water based solutions (Argo Chemicals, etc...)
5. Compatibility agents
6. Micronutrients and fertilizers
7. Spray adjuvants

**Straight micronutrient foliar products:**

## Nexus Boron

10%  
Safe if mixing order is not followed.

## Nexus Liquid

Manganese 7.5%  
Safe if mixing order is not followed.

## Nexus Liquid

Copper 5%  
**MUST** go in after Agro chemical(s).  
\*Copper lowers the pH of the solution and can cause antagonism if mixed incorrectly.

## Nexus Liquid

Zinc 7%  
Safe if mixing order is not followed.

**Multi-nutrient foliar products:**

## EZ-Gro Cyto | EZ-Gro Max

Recommended to be the last product added to the mix.

## YieldMax Liquid

10-10-10  
Safe if mixing order is not followed.  
\*Neutral pH allows for this.

**Multi-nutrient foliar products:**

## YieldMax WS

18-20-20  
Best to have in solution before Agro chemicals to ensure material is in full suspension.

## Solubor®

Best to have in solution before Agro chemicals to ensure material is in full suspension.